

İŞLETİM SİSTEMLERİ UYGULAMA



Outline

- Process management -> Section-1
 - creation, differentiation, termination
- Inter-process communication (IPC) -> Section-1
 - Unix-based
 - Posix
- Threads -> Section-2
- Thread synchronization -> Section-2

Section Outline

- Process definition
- Process handling in Unix
- Process creation
- Process differentiation
- Process termination
- Process synchronization

What is a Process

- **Definition ;**


- A process is an instance of a running program.
- Not the same as “**program**” or “**processor**”
 - A program is a set of instructions and initialized data in a file, usually found on a disk.
- A **process** is an instance of that **program** while it is running, along with the state of all the CPU registers and the values of data in memory.

Process Handling


- Constituents of a process
 - Its code
 - Data
 - its own
 - OS's data used by/for process
 - Various attributes OS needs to manage it

Process Handling

- OS keeps track of all processes
 - Process table/array/list
 - Elements are process descriptors (aka control blocks)
 - Descriptors reference code & data




Single process in Unix (consolidated view)



- Some important properties
 - code
 - data
 - current directory
 - argument list
 - environment list
 - responses to signals
 - list of open files

ls -l foo bar




Process Creation


- OS perspective
 - find empty slot in process table
 - write a process descriptor and
 - put it there
 - read in program code from disk
- User perspective
 - System calls
 - **fork()**, **exec()**

fork() system call

process ID #1001




process ID #1002



same dir!
same args!
same vars!
same sigs!
same files!

even...
same code!!

fork() system call



A Simple fork() Example

```
#include <stdio.h>
#include <unistd.h>

int main ( void ) {
    printf("Message before fork\n");
    fork();
    printf("Message after fork\n");
    return 0;
}
```

- **Ex_1_fork1.c**

- a simple fork example
- Message after fork is printed **twice** !!

```
File Edit View Terminal Help
lucid@ubuntu:~/Downloads$ ./Fork1
Message before fork
Message after fork
lucid@ubuntu:~/Downloads$ Message after fork
lucid@ubuntu:~/Downloads$
```

Self Identification

```
#include <stdio.h>
#include <unistd.h>

int main ( void ) {

    int forkResult;

    printf("process id : %i\n",getpid());
    forkResult = fork();
    printf("process id : %i - result : %d\n",
           getpid(), forkResult);

    return 0;
}
```

- **Ex_2_fork2.c**

- for the parent process fork returns **child's pid**
- for the child process fork returns **0**

File Edit View Terminal Help

```
lucid@ubuntu:~/Downloads$ ./Fork2
```

```
process id : 2682
```


```
process id : 2682 - result : 2683
```

```
lucid@ubuntu:~/Downloads$ process id : 2683 - result : 0
```


Process Differentiation

- **identical?** not what we had in mind!
- more useful if child does different stuff
- can we give it **different** behaviour?
 - in the form of source code
 - in the form of an existing binary executable
 - exec() family of functions


Process Differentiation



Process Differentiation



Process Differentiation



Process Differentiation by source code

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int main ( void ) {

    printf("(%) Parent does something...\n", getpid());

    if(fork()) { // Parent
        printf("(%) Parent do completely different stuff\n",getpid());
    } else { // Child
        printf("(%) Child can do some stuff\n",getpid());
    }

    exit(0);
}
```

- **Ex_3_fork3.c**

```
File Edit View Terminal Help
lucid@ubuntu:~/Downloads$ ./Fork3
(2767) Parent does something...
(2767) Parent do completely different stuff
lucid@ubuntu:~/Downloads$ (2768) Child can do some stuff
█
```


Fork Practice Question

```
#include <stdio.h>
#include <unistd.h>

int main()
{
    if (fork()) {
        if (!fork()) {
            fork();
            printf("1 ");
        }
        else {
            printf("2 ");
        }
    }
    else {
        printf("3 ");
    }
    printf("4 ");
    return 0;
}
```


Output:

2 4 1 4 1 4 3 4



• **Ex_4_fork4.c**

Process Differentiation by **exec()** function



Process Differentiation by **exec()** function

- **exec()** family of functions

- int **execl** (const char *pathname, const char *arg0, ...);
- int **execv** (const char *pathname, char *const argv[]);
- int **execle** (const char *pathname, const char *arg0, ..., 0, char *const envp[]);
- int **execlp** (const char *filename, const char *arg0, ...);
- int **execvp** (const char *filename, char *const argv[]);
- int **execve** (const char *pathname, char *const argv[], char *const envp[]);

A Simple exec() Example

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int main ( void ) {

    printf("Parent does stuff and then calls fork...\n");

    if(fork()) { // Parent
        printf("... parent do something completely different\n");
    } else { // Child
        printf("Child runs an executable...\n");
        execl("/bin/ls", "/bin/ls", "-l", "/etc/apache2/conf.d/", NULL);
    }

    exit(0);
}
```

• **Ex_5_exec.c**

```
lucid@ubuntu:~/Downloads$ ./Exec
Parent does stuff and then calls fork...
... parent do something completely different
lucid@ubuntu:~/Downloads$ Child runs an executable...
/bin/ls: cannot access /etc/apache2/conf.d/: No such file or directory
```

Process Termination

- void **exit** (int status);
 - exits a process
 - normally return with status 0
- int **atexit** (void (*function)(void));
 - registers function to be executed on exit
- int **wait** (int *child_status)
 - suspends current process until one of its children terminates

exit() vs return

- **return**

- is an instruction of the language that returns from a function call.

- **exit**

- is a system call (not a language statement) that terminates the current process.

atexit() example

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

void parentCleaner ( void );

int main ( void ) {

    if(fork()) { // parent process
        atexit(parentCleaner);
        printf("this is parent %i\n",getpid());
    } else {    // child process
        printf("this is child %i\n",getpid());
    }
    exit(0);
}

void parentCleaner ( void ) {

    printf("cleaning up parent...\n");

}
```

```
File Edit View Terminal Help
```

```
lucid@ubuntu:~/Downloads$ ./Exit1
this is parent 3262
cleaning up parent...
lucid@ubuntu:~/Downloads$ this is child 3263
```

- registers a function to clean up resource at process termination

• **Ex_7_atexit.c**

Zombie Process

- When process terminates, still consumes system resources
 - Various tables maintained by OS
 - Called a zombie; living corpse, half alive, half dead
- **Reaping**
 - Performed by parent on terminated child
 - Parent is given exit status information
 - Kernel discards process
- What if parent does not reap ?
 - if any parent terminates without reaping a child, then child will be reaped by **“init”** process
 - so, only need explicit reaping in long-running processes

Zombie example

non-terminating parent

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int main ( void ) {

    if(fork()) { // Parent
        printf("Running parent, pid : %i\n",getpid());
        while(1);
    } else { // Child
        printf("Terminating child, pid : %i\n", getpid());
        exit(0);
    }

    exit (0);
}
```

```
lucid@ubuntu:~/Downloads$ ps -ef | grep Zombie
lucid      3380   2182  71  03:42 pts/0    00:00:21 ./Zombie1
lucid      3381   3380   0  03:42 pts/0    00:00:00 [Zombie1] <defunct>
lucid      3402   3382   0  03:43 pts/1    00:00:00 grep --color=auto Zombie
lucid@ubuntu:~/Downloads$
```

- **Ex_8_zombie1.c**

Zombie example

non-terminating child

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>

int main ( void ) {

    if(fork()) { // Parent
        printf("Running parent, pid : %i\n",getpid());
        exit(0);
    } else {    // Child
        printf("Terminating child, pid : %i\n", getpid());
        while(1);
    }

    exit (0);
}
```

```
lucid@ubuntu:~/Downloads$ ps -ef | grep Zombie
lucid      3467      1  77  03:45 pts/0    00:00:29 ./Zombie2
lucid      3473    3382  0  03:46 pts/1    00:00:00 grep --color=auto Zombie
lucid@ubuntu:~/Downloads$
```

- **Ex_9_zombie2.c**

Synchronizing with child

- `int wait(int *child_status)`
 - suspends current process until one of its children terminates
 - return value is the pid of the child process that terminated
 - If the child has already terminated, then `wait` returns its pid immediately
 - If `child_status != NULL`, then the object it points to will be set to a `status` indicating why the child process terminated

wait() Example

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

#define numOfChlds 5
int main ( void ) {

    int i;
    int child_status;
    pid_t pid[numOfChlds];
    pid_t wpid;

    for ( i = 0; i < numOfChlds; i++ ) {
        if ((pid[i] = fork()) == 0) {
            exit(100+i);          // create & exit child
        }
    }

    for ( i = 0; i < numOfChlds; i++ ) {
        wpid = wait(&child_status);    // wait for child
        if (WIFEXITED(child_status)) { // check exit status
            printf("Child %d terminated with exit status %d\n",
                wpid, WEXITSTATUS(child_status));
        } else {
            printf("Child %d terminate abnormally\n", wpid);
        }
    }
    exit(0);
}
```

```
lucid@ubuntu:~/Downloads$ ./Wait1
Child 3630 terminated with exit status 100
Child 3631 terminated with exit status 101
Child 3633 terminated with exit status 103
Child 3634 terminated with exit status 104
Child 3632 terminated with exit status 102
lucid@ubuntu:~/Downloads$
```

• **Ex_10_wait1.c**

References

- **man pages**

- <http://www.cs.princeton.edu/courses/archive/fall01/cs217/slides/process.pdf>
- <http://www.cs.cmu.edu/afs/cs.cmu.edu/academic/class/15213-f08/www/lectures/lecture-11.pdf>
- <http://csapp.cs.cmu.edu>
- http://homepage.smc.edu/morgan_david/linux/a12-processes.pdf
- <https://www.geeksforgeeks.org/fork-system-call/amp/>

Section Outline

- What is IPC
- IPC standards
- Posix IPC Methods
 - Pipes
 - Fifos
 - Signals
 - Semaphores
 - Message queues
 - Shared memory

What is IPC

- **Inter-process communication (IPC)** is a set of methods for the exchange of data among multiple threads in one or more processes.
 - Processes may be running on one or more computers connected by a network.
 - IPC methods are divided into methods for **message passing**, **synchronization**, **shared memory**, and **remote procedure calls (RPC)**.

IPC Methods

- Unix
- System V
- POSIX
- Others
 - Sockets
 - Dbus
 - So on...

POSIX IPC

- Pipe
- FIFO
- **Signals**
- **Semaphores**
- Message Queues
- Shared Memory

Persistence of IPC Objects

PROCESS

KERNEL


FILESYSTEM

- process-persistent IPC:
 - exists until last process with
 - IPC object closes the object
- kernel-persistent IPC
 - exists until kernel reboots or
 - IPC object is explicitly deleted
- file-system-persistent IPC
 - exists until IPC object is
 - explicitly deleted


Pipes

- A pipe provides a one-way flow of data
 - example: `who | sort | lpr`
- The difference between a file and a pipe:
 - pipe is a data structure in the kernel.
- A pipe is created by using the pipe system call
 - int **pipe** (int* fildes);
 - Two file descriptors are returned
- **fildes[0]** is open for reading
- **fildes[1]** is open for writing
- Typical size is **512 bytes** (Minimum limit defined by POSIX)

Pipe (Single Process)




Pipe (Two Process)



Just after fork

Pipe (Two Process)



- Parent opens file, child reads file
 - parent closes **read** end of pipe
 - child closes **write** end of pipe

A simple pipe example

```
int main (int argc, char *argv[]) {  
  
    int pipel[2];  
    pid_t childpid;  
  
    pipe(pipel);  
  
    if((childpid=fork())==0) { // Child  
        close(pipel[1]);  
        server(pipel[0]);  
        exit(0);  
    }  
  
    close(pipel[0]);  
    client(pipel[1]);  
  
    waitpid(childpid, NULL,0); // wait for child to terminate  
    exit(0);  
}
```

```
void client (int writefd) {  
  
    size_t len;  
    char buff[MAX_LINE];  
  
    fgets(buff, MAX_LINE, stdin);  
    len = strlen(buff);  
    if(buff[len-1]=='\n')  
        len--;  
    write(writefd, buff, len);  
}
```

```
lucid@ubuntu:~/Downloads$ ./Pipe  
hello.txt  
This  
is  
the  
content  
of  
Hello.txt  
file  
lucid@ubuntu:~/Downloads$
```

- **Ex_1_pipe.c**

FIFOs

- Pipes have no names, they can only be used between processes that have a parent process in common.
- FIFO stands for first-in, first-out
- Similar to a pipe, it is a one-way (half duplex) flow of data
- A FIFO has a pathname associated with it, allowing unrelated processes to access a single FIFO
- FIFOs are also called ***named pipes***

FIFOs

```
#include <sys/types.h>
```

```
#include <sys/stat.h>
```

```
int mkfifo (const char *pathname, mode_t mode)
```

returns 0 if OK, -1 on error

FIFO example

```
int main (int argc, char *argv[]) {  
  
    int readfd, writefd;  
  
    if((mkfifo(FIF01, FIFO_MODE )<0)&&(errno != EEXIST)) {  
        printf("can not open %s\n",FIF01);  
        exit(-1);  
    }  
  
    if((mkfifo(FIF02, FIFO_MODE )<0)&&(errno!= EEXIST)) {  
        printf("can not open %s\n",FIF02);  
        exit(-1);  
    }  
  
    readfd = open(FIF01, O_RDONLY);  
    writefd = open(FIF02, O_WRONLY);  
  
    server(readfd, writefd);  
  
    exit(0);  
}
```

- **Ex_2_client.c**
- **Ex_2_server.c**

```
lucid@ubuntu:~/Downloads$ ./Client  
enter a file name  
hello.txt  
  
sending file name to server  
  
This  
is  
the  
content  
of  
Hello.txt  
file  
lucid@ubuntu:~/Downloads$
```

```
lucid@ubuntu:~/Downloads$ ./Server  
received file name (hello.txt)  
sending contents of the file back to client...  
lucid@ubuntu:~/Downloads$
```

Example: <https://www.geeksforgeeks.org/named-pipe-fifo-example-c-program/>

Signals

- Definition
- Signal Types
- Generating Signals
- Responding to a Signal
- POSIX Signal Functions
- Signals & System Calls

Definition

- A signal is an **asynchronous** event which is delivered to a process
- Asynchronous means that the event can occur at any time
 - may be unrelated to the execution of the process
 - e.g. user types ctrl-C, or the modem hangs

Common use of Signals

- Ignore a Signal
- Clean up and Terminate
- Dynamic Reconfiguration
- Report Status
- Turn Debugging on/off
- Restore Previous Handler
- Signals & System Calls

Generating a Signal

- Use the Unix command
 - `$> kill -KILL 4481`
 - Sends a SIGKILL signal to pid 4481
- `ps -l`
 - To make sure process died

```
#include <sys/types.h>
#include <signal.h>
```

```
int kill (pid_t pid, int sig);
```

Sends a signal to a process or a group of processes

Return 0 if ok, -1 on error

PID Options

- If pid is positive, then signal sig is sent to the process with the ID specified by pid.
- If pid equals 0, then sig is sent to every process in the process group of the calling process.
- If pid equals -1, then sig is sent to every process for which the calling process has permission to send signals, except for process 1 (init), but see below.
- If pid is less than -1, then sig is sent to every process in the process group whose ID is -pid.
- If sig is 0, then no signal is sent, but error checking is still performed; this can be used to check for the existence of a process ID or process group ID

Responding to a Signal

- A process can;
 - Ignore/discard the signal (not possible for SIGKILL & SIGSTOP)
 - Execute a signal handler function, and then possibly resume execution or terminate
 - Carry out default action for that signal
- The choice is called the process' **signal disposition**

POSIX Signal System

- The POSIX signal system, uses signal sets, to deal with pending signals that might otherwise be missed while a signal is being processed
- The signal set stores collection of signal types
- Sets are used by signal functions to define which signal types are to be processed
- POSIX contains several functions for creating, changing and examining signal sets

POSIX Functions

```
#include <signal.h>
```

```
int sigemptyset ( sigset_t *set );
```

```
int sigfillset ( sigset_t *set );
```

```
int sigismember ( const sigset_t *set,int signo );
```

```
int sigaddset ( sigset_t *set, int signo );
```

```
int sigdelset ( sigset_t *set, int signo );
```

```
int sigprocmask ( int how, const sigset_t *set,  
sigset_t *oldset);
```

sigprocmask()

- A process uses a signal set to create a mask which defines the signals it is blocking from delivery
 - Good for critical sections where you want to block certain signals.
- How meanings
 - SIG_BLOCK set signals are added to mask
 - SIG_UNBLOCK set signals are removed from mask
 - SIG_SETMASK set becomes new mask

A Critical Code Region

```
sigset_t newmask, oldmask;  
sigemptyset( &newmask );  
sigaddset( &newmask, SIGINT );  
/* block SIGINT; save old mask */  
sigprocmask( SIG_BLOCK, &newmask, &oldmask );  
/* critical region of code */  
/* reset mask which unblocks SIGINT */  
sigprocmask( SIG_SETMASK, &oldmask, NULL );
```

sigaction()

- Supercedes (more powerful than) signal()
 - can be used to code a non-resetting signal()

```
#include <signal.h>  
  
int sigaction (int signo,  
const struct sigaction *act,  
struct sigaction *oldact )
```

sigaction Structure

```
struct sigaction {  
    void (*sa_handler)( int ); //action to be taken or SIG_IGN, SIG_DFL  
    sigset_t sa_mask;          //additional signal to be blocked  
    int sa_flags;              // modifies action of the signal  
    void (*sa_sigaction)( int, siginfo_t *, void * );  
}
```

sa_flag

SIG_DFL reset handler to default upon return

SA_SIGINFO denotes **extra information** is passed to handler (.i.e. specifies the use of the “second” handler in the structure.

sigaction() Behavior

- A signo signal causes the sa_handlersignal handler to be called.
- While sa_handler executes, the signals in sa_mask are blocked. Any more signo signals are also blocked.
- sa_handler remains installed until it is changed by another sigaction() call. **No reset problem**

A Simple Example !!!

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/types.h>
#include <signal.h>

void ouch( int );

int main (void) {

    struct sigaction act;

    act.sa_handler = ouch;

    sigemptyset(&act.sa_mask);
    act.sa_flags = 0;

    sigaction(SIGINT, &act, 0);

    while(1) {
        printf("Hello world\n");
        sleep(1);
    }
    exit (0);
}

void ouch( int sigNo ) {

    printf("received SIGINT...\n");
}
```

```
lucid@ubuntu:~/Downloads$ ./Signal
Hello world
Hello world
Hello world
Hello world
Hello world
^Creceived SIGINT...
Hello world
Hello world
Hello world
^Creceived SIGINT...
Hello world
Hello world
Hello world
^Z
[1]+  Stopped                  ./Signal
lucid@ubuntu:~/Downloads$
```

• **Ex_3_signal1.c**

Ignoring Signals

- Other than SIGKILL and SIGSTOP, signals can be ignored.
- Instead of in the previous program:
`act.sa_handler = catchint /* or whatever */`

We use :

```
act.sa_handler = SIG_IGN;
```

The ^C key will be ignored

Restoring Previous Action

- The third parameter to sigaction, oact, can be used:

```
/* save old action */  
sigaction( SIGTERM, NULL, &oact);  
/* set new action */  
act.sa_handler = SIG_IGN;  
sigaction( SIGTERM, &act, NULL );  
/* restore old action */  
sigaction( SIGTERM, &oact, NULL );
```

Changing and Reverting to the default handler

```
/*you_shot_me.c*/
void handler_3(int signum){
    printf("Don't you dare shoot me one more time!\n");

    //Revert to default handler, will exit on next SIGINT
    signal(SIGINT, SIG_DFL);
}

void handler_2(int signum){
    printf("Hey, you shot me again!\n");

    //switch handler to handler_3
    signal(SIGINT, handler_3);
}

void handler_1(int signum){
    printf("You shot me!\n");

    //switch handler to handler_2
    signal(SIGINT, handler_2);
}

int main(){

    //Handle SIGINT with handler_1
    signal(SIGINT, handler_1);

    //loop forever!
    while(1);
}
```

```
#> ./you_shout_me
^CYou shot me!
^CHey, you shot me again!
^CDon't you dare shoot me one more time!
^C
```

<https://www.usna.edu/Users/cs/aviv/classes/ic221/s17/units/06/unit.html>

Semaphores

- A semaphore is a data structure that is shared by several processes.
- Semaphores are most often used to synchronize operations, when multiple processes access a common, non-shareable resource.
- By using semaphores, we attempt to avoid other multi-programming problems such as:
 - Starvation
 - Deadlock

POSIX Semaphores

- POSIX semaphores allow processes and threads to synchronize their actions.
- A semaphore is an integer whose value is **never allowed** to fall below **zero**.
- POSIX semaphores come in **two forms**:
 - named semaphores
 - unnamed semaphores.

Named Semaphores

- A named semaphore is identified by a name of the form / somename; that is, a null-terminated string
- Two processes can operate on the same named semaphore by passing **the same name** to sem_open().
- Named semaphore functions
 - sem_open()
 - sem_post()
 - sem_wait(), sem_timedwait(), sem_trywait()
 - sem_close()
 - sem_unlink()

Unnamed Semaphores

- An unnamed semaphore does not have a name.
 - The semaphore is placed in a region of memory that is shared between multiple threads or processes.
- A thread-shared semaphore
 - a global variable.
- A process-shared semaphore
 - must be placed in a shared memory region
 - POSIX or System V shared memory segment

Unnamed Semaphores

- Unnamed semaphore functions
 - **sem_init()**
 - sem_post()
 - sem_wait(), sem_timedwait(), sem_trywait()
 - **sem_destroy()**

A simple semaphore example

```
//create & initialize semaphore
mutex = sem_open(SEM_NAME, O_CREAT, 0644, 1);
if(mutex == SEM_FAILED) {
    perror("unable to create semaphore");
    sem_unlink(SEM_NAME);
    exit(-1);
}


while(i<10) {

    sem_wait(mutex);
    t = time(&t);
    printf("Process A enters the critical section at %d \n",t);
    t = time(&t);
    printf("Process A leaves the critical section at %d \n",t);
    sem_post(mutex);
    i++;
    sleep(3);
}
sem_close(mutex);
sem_unlink(SEM_NAME);
```

```
//create & initialize existing semaphore
mutex = sem_open(SEM_NAME, 0, 0644, 0);
if(mutex == SEM_FAILED) {
    perror("reader:unable to execute semaphore");
    sem_close(mutex);
    exit(-1);
}

while(i<10) {

    sem_wait(mutex);
    t = time(&t);
    printf("Process B enters the critical section at %d \n",t);
    t = time(&t);
    printf("Process B leaves the critical section at %d \n",t);
    sem_post(mutex);
    i++;
    sleep(2);
}
sem_close(mutex);
```



```
lucid@ubuntu:~$ ./PB
Process B enters the critical section at 1376420556
Process B leaves the critical section at 1376420556
Process B enters the critical section at 1376420558
Process B leaves the critical section at 1376420558
Process B enters the critical section at 1376420560
Process B leaves the critical section at 1376420560
Process B enters the critical section at 1376420562
Process B leaves the critical section at 1376420562
Process B enters the critical section at 1376420564
Process B leaves the critical section at 1376420564
Process B enters the critical section at 1376420566
Process B leaves the critical section at 1376420566
Process B enters the critical section at 1376420568
Process B leaves the critical section at 1376420568
Process B enters the critical section at 1376420570
Process B leaves the critical section at 1376420570
Process B enters the critical section at 1376420572
Process A enters the critical section at 1376420554
Process A leaves the critical section at 1376420554
Process A enters the critical section at 1376420557
Process A leaves the critical section at 1376420557
Process A enters the critical section at 1376420560
Process A leaves the critical section at 1376420560
Process A enters the critical section at 1376420563
Process A leaves the critical section at 1376420563
Process A enters the critical section at 1376420566
```

Ex_semA

.c

Ex_semB

.c

Message Queues

- **Unlike pipes and FIFOs**, message queues support messages that have **structure**.
- Like FIFOs, message queues are persistent objects that must be initially created and eventually deleted when no longer required.
- Message queues are created with a specified maximum message size and maximum number of messages.
- Message queues are created and opened using a special version of the open system call, **mq_open**.

POSIX Message Queue Functions

- mq_open()
- mq_close()
- mq_unlink()
- mq_send()
- mq_receive()
- mq_setattr()
- mq_getattr()
- mq_notify()

mq_open(const char *name, int oflag,...)

- name
 - Must start with a slash and contain no other slashes
 - QNX puts these in the /dev/mqueue directory
- oflag
 - **O_CREAT** - to create a new message queue
 - **O_EXCL** - causes creation to fail if queue exists
 - **O_NONBLOCK** - usual interpretation
- mode - usual interpretation
- &mqattr - address of structure used during creation

mq_attr structure

- This structure, pointed to by the last argument of **mq_open**, has at least the following members:
 - mq_maxmsg - maximum number of messages that may be stored in the message queue
 - mq_msgsize - the size of each message, in bytes
 - mq_flags - not used by mq_open, but accessed by mq_getattr and mq_setattr
 - mq_curmsgs - number of messages in the queue

mq_close(mqd_t mqdes)

- This function is used to close a message queue after it has been used.
- As noted earlier, the message queue is not deleted by this call; it is persistent.
- The message queue's contents **are not altered** by **mq_close** unless a prior call (by this or another process) called **mq_unlink** (see next slide). In this respect, an open message queue is just like an open file: deletion is deferred until all open instances are closed.

mq_unlink(const char *name)

- This call is used to remove a message queue.
- Recall (from the previous slide) that the deletion is deferred until all processes that have the message queue open have closed it (or terminated).
- It is usually a good practice to call mq_unlink immediately after all processes that wish to communicate using the message queue have opened it. In this way, as soon as the last process terminates (closing the message queue), the queue itself is deleted.

Message Queue Persistence - I

- As noted, a message queue is persistent.
- Unlike a FIFO, however, the contents of a message queue are also persistent.
- It is not necessary for a reader and a writer to have the message queue open at the same time. A writer can open (or create) a queue and write messages to it, then close it and terminate.
- Later a reader can open the queue and read the messages.

```
mq_send(mqd_t mqdes, const char *msg_ptr,  
size_t msglen, unsigned msg_prio)
```

- **mqdes**
 - the descriptor required by mq_open
- **msg_ptr**
 - pointer to a char array containing the message
- **msglen**
 - number of bytes in the message; this must be no larger than the maximum message size for the queue
- **prio**
 - the message priority (0..MQ_PRIO_MAX); messages with larger (higher) priority leap ahead of messages with lower (smaller) priority

```
mq_receive(mqd_t mqdes, char *msg_ptr,  
size_t msglen, unsigned *msg_prio)
```

- **mqdes**
 - the descriptor returned by mq_open
- **msg_ptr**
 - pointer to a char array to receive the message
- **msglen**
 - number of bytes in the msg buffer; this should normally be equal to the maximum message size specified when the message queue was created
- **msg_prio**
 - pointer to a variable that will receive the message's priority
- The call returns the **size of the message, or -1**

A simple Message Queue Example

Sender

```
/* forcing specification of "-i" argument */
if (msgprio == 0) {
    printf("Usage: %s [-q] -p msg_prio\n", argv[0]);
    exit(1);
}

/* opening the queue      -- mq_open() */
if (create_queue) {
    msgq_id = mq_open(MSGQOBJ_NAME, O_RDWR | O_CREAT | O_EXCL, S_IRWXU | S_IRWXG, NULL);
} else {
    msgq_id = mq_open(MSGQOBJ_NAME, O_RDWR);
}
if (msgq_id == (mqd_t)-1) {
    perror("In mq_open()");
    exit(1);
}

/* producing the message */
currtime = time(NULL);
snprintf(msgcontent, MAX_MSG_LEN, "Hello from process %u (at %s).", my_pid, ctime(&currtime));

/* sending the message    -- mq_send() */
mq_send(msgq_id, msgcontent, strlen(msgcontent)+1, msgprio);

/* closing the queue      -- mq_close() */
mq_close(msgq_id);
```

• Ex_5_mq_dropone.c

```
lucid@ubuntu:~/Downloads$ ./Drop
Usage: ./Drop [-q] -p msg_prio
lucid@ubuntu:~/Downloads$ ./Drop -q -p 11
I (5012) will use priority 11
lucid@ubuntu:~/Downloads$ ./Drop -p 110
I (5015) will use priority 110
lucid@ubuntu:~/Downloads$ ./Drop -p 17
I (5016) will use priority 17
lucid@ubuntu:~/Downloads$ █
```

A simple Message Queue Example

Receiver

```
/* opening the queue      -- mq_open() */
msgq_id = mq_open(MSGQOBJ_NAME, O_RDWR);
if (msgq_id == (mqd_t)-1) {
    perror("In mq_open()");
    exit(1);
}

/* getting the attributes from the queue      -- mq_getattr() */
mq_getattr(msgq_id, &msgq_attr);
printf("Queue \"%s\":\n\t- stores at most %ld messages\n\t\
- large at most %ld bytes each\n\t- currently holds %ld messages\n",
MSGQOBJ_NAME, msgq_attr.mq_maxmsg, msgq_attr.mq_msgsize, msgq_attr.mq_curmsgs);

/* getting a message */
msgsz = mq_receive(msgq_id, msgcontent, MAX_MSG_LEN, &sender);
if (msgsz == -1) {
    perror("In mq_receive()");
    exit(1);
}
printf("Received message (%d bytes) from %d: %s\n", msgsz, sender, msgcontent);

/* closing the queue      -- mq_close() */
mq_close(msgq_id);

mq_unlink(MSGQOBJ_NAME);
return 0;
```

```
lucid@ubuntu:~/Downloads$ ./Take
Queue "/test":
- stores at most 10 messages
- large at most 8192 bytes each
- currently holds 3 messages
Received message (56 bytes) from 110: Hello from process 5015 (at Fri Aug  9 07:
34:05 2013
).
```

• **Ex_5_mq_takeone.c**

The effect of fork on a message queue

- Message queue descriptors **are not (in general) treated as file descriptors**; the unique open, close, and unlink calls should already suggest this.
- Open message queue descriptors **are not inherited by child processes** created by fork.
- Instead, a child process must explicitly open (using `mq_open`) the message queue itself to obtain a message queue descriptor

Detecting non-empty queues

- `mq_receive` on an empty queue **normally causes a process to block**, and this may not be desirable.
- Of course, **`O_NONBLOCK`** could be applied to the queue to prevent this behavior, but in that case the `mq_receive` call will return `-1`, and our only recourse is to try `mq_receive` again later.
- With the **`mq_notify`** call we can associate a single process with a message queue so that it (the process) will be notified when the message queue changes state from empty to non-empty

mq_notify(mqd_t mqdes, const struct sigevent *notification)

- queuefd
 - as usual, to identify the message queue
- sigev
 - a struct sigevent object that identifies the signal to be sent to the process to notify it of the queue state change.
- Once notification has been sent, **the notification mechanism is removed**. That is, to be notified of the next state change (from empty to non-empty), the notification **must be reasserted**.

Changing the process to be notified

- Only one process can be registered (at a time) to receive notification when a message is added to a previously-empty queue.
- If you wish to change the process that is to be notified, you must remove the notification from the process which is currently associated (call `mq_notify` with `NULL` for the `sigev` argument), and then associate the notification with a different process.

Attributes

- **mq_getattr** (queuefd,&mqstat)
 - retrieves the set of attributes for a message queue to the struct mq_attr object named mqstat.
 - the mq_flags member of the attributes is not significant during mq_open, but it can be set later
- **mq_setattr** (queuefd,&mqstat,&old)
 - Set (or clear) to O_NONBLOCK flag in the mqattr structure for the identified message queue
 - Retrieve (if old is not NULL) the previously existing message queue attributes
 - Making changes to any other members of the mqattr structure is **ineffective**.

Timed send and receive

- Two additional functions, `mq_timedsend` and `mq_timedreceive`, are like `mq_send` and `mq_receive` except they have an additional argument, a pointer to a `struct timespec`.
- This provides the absolute time at which the send or receive will be aborted if it cannot be completed (because the queue is full or empty, respectively).

Shared Memory

- Sharing memory in POSIX (and many other systems) requires
 - creating a persistent “object” associated with the shared memory, and
 - allowing processes to connect to the object.
- creating or connecting to the persistent object is done in a manner similar to that for a file, but uses the `shm_open` system call.

Shared Memory Functions

- `shm_open()`
- `mmap()`
- `munmap()`
- `ftruncate()`
- `shm_unlink()`

shm_open (name, oflag, mode)

- name is a string identifying an existing shared memory object or a new one (to be created). It should begin with '/', and contain only one slash. In QNX 6, these objects will appear in a special directory.
- mode is the protection mode (e.g. 0644).
- shm_open returns a file descriptor, or -1 in case of error

shm_open (name, oflag, mode)

- oflag is similar to the flags for files:
 - O_RDONLY - read only
 - O_RDWR - read/write
 - O_CREAT - create a new object if necessary
 - O_EXCL - fail if O_CREAT and object exists
 - O_TRUNC - truncate to zero length if opened R/W


ftruncate(int fd, off_t len)

- This function (inappropriately named) causes the file referenced by fd to have the size specified by len.
- If the file was previously longer than len bytes, the excess is discarded.
- If the file was previously shorter than len bytes, it is extended by bytes containing zero.

`mmap (void *addr, size_t len, int prot,
int flags, int fd, off_t off);`

- mmap is used to map a region of the shared memory object (fd) to the process' address space.
- The mapped region has the given len starting at the specified offset off.
- Normally addr is 0, and allows the OS to decide where to map the region. This can be explicitly specified, if necessary.
- mmap returns the mapped address, or -1 on error.(more on next slide)

Mmap()



mmap, continued

- prot – selected from the available protection settings:
 - PROT_EXEC
 - PROT_NOCACHE
 - PROT_NONE
 - PROT_READ
 - PROT_WRITE
- flags – one or more of the following:
 - MAP_FIXED – interpret addr parameter exactly
 - MAP_PRIVATE – don't share changes to object
 - MAP_SHARED – share changes to object

munmap (void *addr, size_t len)

- This function removes mappings from the specified address range.
- This is not a frequently-used function, as most processes will map a fixed-sized region and use `shm_unlink` at the end of execution to destroy the shared memory object (which effectively removes the mappings).

shm_unlink (char *name);

- This function, much like a regular unlink system call, removes a reference to the shared memory object.
- If there are other outstanding links to the object, the object itself continues to exist.
- If the current link is the last link, then the object is deleted as a result of this call.

A Simple Shared Memory Example

Sender

```
/* creating the shared memory object -- shm_open() */
shmfd = shm_open(SHMOBJ_PATH, O_CREAT | O_EXCL | O_RDWR, S_IRWXU | S_IRWXG);
if (shmfd < 0) {
    perror("In shm_open()");
    exit(1);
}
fprintf(stderr, "Created shared memory object %s\n", SHMOBJ_PATH);

/* adjusting mapped file size (make room for the whole segment to map) -- ftruncate() */
ftruncate(shmfd, shared_seg_size);

/* requesting the shared segment -- mmap() */
shared_msg = (struct msg_s *)mmap(NULL, shared_seg_size, PROT_READ | PROT_WRITE, MAP_SHARED, shmfd, 0);
if (shared_msg == NULL) {
    perror("In mmap()");
    exit(1);
}
fprintf(stderr, "Shared memory segment allocated correctly (%d bytes).\n", shared_seg_size);

srandom(time(NULL));
/* producing a message on the shared segment */
shared_msg->type = random() % TYPES;
snprintf(shared_msg->content, MAX_MSG_LENGTH, "My message, type %d, num %ld", shared_msg->type, random());
```

- **Ex_6_shm_server.c**

```
lucid@ubuntu:~/Downloads$ ./SHMServer
Created shared memory object /foo1423
Shared memory segment allocated correctly (56 bytes).
lucid@ubuntu:~/Downloads$
```

A Simple Shared Memory Example

Receiver

```
/* creating the shared memory object -- shm_open() */
shmfd = shm_open(SHMOBJ_PATH, O_RDWR, S_IRWXU | S_IRWXG);
if (shmfd < 0) {
    perror("In shm_open()");
    exit(1);
}
printf("Created shared memory object %s\n", SHMOBJ_PATH);

/* requesting the shared segment -- mmap() */
shared_msg = (struct msg_s *)mmap(NULL, shared_seg_size, PROT_READ | PROT_WRITE, MAP_SHARED, shmfd, 0);
if (shared_msg == NULL) {
    perror("In mmap()");
    exit(1);
}
printf("Shared memory segment allocated correctly (%d bytes).\n", shared_seg_size);

printf("Message type is %d, content is: %s\n", shared_msg->type, shared_msg->content);
```

- **Ex_6_shm_client.c**

```
lucid@ubuntu:~/Downloads$ ./SHMClient
Created shared memory object /foo1423
Shared memory segment allocated correctly (56 bytes).
Message type is 6, content is: My message, type 6, num 1256344664
lucid@ubuntu:~/Downloads$ █
```



References

- <http://cs.unomaha.edu/~stanw/091/csci8530/>
- <http://mij.oltrelinux.com/devel/unixprg/>
- Man pages
- man mq_overview
- man mq_open, mq_close etc. etc. etc.
- <http://forum.soft32.com/linux2/Utilities-listing-removing-POSIX-IPC-objects-ftopict15659.html>

Threads vs. Processes

- ▶ Creation of a new process using fork is *expensive* (time & memory).
- ▶ A thread (sometimes called a *lightweight process*) does not require lots of memory or startup time.

fork()



pthread_create()


Process A
Thread 1



pthread_create()



Process A
Thread 2



Multiple Threads

- Each process can include many threads.
- All threads of a process share:
 - memory (program code and global data)
 - open file/socket descriptors
 - signal handlers and signal dispositions
 - working environment (current directory, user ID, etc.)

Thread-specific Resources

- Each thread has its own
 - Thread ID
 - Stack, Registers, Program Counter
- Threads within the same process can communicate using shared memory.
 - *Must be done carefully*

Posix Threads

- We will focus on Posix Threads - most widely supported threads programming API.
- you need to link with “**-lpthread**”

Thread Creation

- `pthread_create(
pthread_t *tid,
const pthread_attr_t *attr,
void *(*func)(void *),
void *arg);`
- **func** is the function to be called.
 - when `func()` returns the thread is terminated.

pthread_create ()

- The return value is 0 for OK.
 - positive error number on error.
- Does not set errno !!!
- Thread ID is returned in **tid**

pthread_create()

Creates a new thread executing a start routine (callback) function.

```
#include <pthread.h>
```

```
int pthread_create(  
pthread_t *thread,  
const pthread_attr_t *attr,  
void *(*start_routine)(void*),  
void *arg  
);
```

On success, the ID of the created thread will be stored here.

What does this mean?

Return type of the function

Name of function pointer

Type of parameter to the function

```
void * ( * start_routine ) ( void * )
```

Thread IDs

- Each thread has a unique ID, a thread can find out it's ID by calling **pthread_self()**.
- Thread IDs are of type `pthread_t` which is usually an unsigned int. When debugging, it's often useful to do something like this:
 - **printf("Thread %u:\n",pthread_self());**

Thread Arguments

- When **func()** is called the value **arg** specified in the call to **pthread_create()** is passed as a parameter.
- **func** can have **only 1** parameter, and it can't be larger than the size of a **void ***.

Thread Arguments (cont.)


- Complex parameters can be passed by creating a structure and passing the address of the structure.
- The structure can't be a local variable (of the function calling **pthread_create**)!!
 - threads have different stacks!

Thread args example

▶ struct { int x,y } 2ints;

```
void *blah( void *arg) {  
    struct 2ints *foo = (struct 2ints *) arg;  
    printf("%u sum of %d and %d is %d\n",  
        pthread_self(),  
        foo->x, foo->y,  
        foo->x+foo->y);  
    return(NULL);  
}
```

Pthread workflow



Thread Lifespan

- ▶ Once a thread is created, it starts executing the function **func()** specified in the call to **pthread_create()**.
- ▶ If **func()** returns, the thread is terminated.
- ▶ A thread can also be terminated by calling **pthread_exit()**.
- ▶ If **main()** returns or any thread calls **exit()** all threads are terminated.

pthread_create_exit_null_join.c

This program creates four threads and wait for all of them to terminate.

```
$ ./bin/pthreads_create_exit_null_join
main() - before creating new threads
  thread 0 - hello
  thread 1 - hello
  thread 2 - hello
  thread 3 - hello
main() - thread 0 terminated
main() - thread 1 terminated
main() - thread 2 terminated
main() - thread 3 terminated
main() - all new threads terminated
$
```

Ex_1_thread1.c

```
void* hello(void* arg) {  
    int i = *(int*) arg;  
    printf("    thread %d - hello\n", i);  
    pthread_exit(NULL);  
}
```

This is the start routine each of the threads will execute.

Every start routine must take **void*** as argument and return **void***.

When creating a new thread we will use a pointer to an integer as argument, pointing to an integer with the thread number.

Here we first cast from **void*** to **int*** and then dereference the pointer to get the integer value.

Terminate the thread by calling **pthread_exit(NULL)**. Here **NULL** means we don't specify a termination status.

```
/* An array of thread identifiers, needed by
   pthread_join() later. */
pthread_t tid[NUM_OF_THREADS];

/* An array to hold argument data to the hello()
   start routine for each thread. */
int arg[NUM_OF_THREADS];

/* Attributes (stack size, scheduling information
   etc) for the new threads. */
pthread_attr_t attr;

/* Get default attributes for the threads. */
pthread_attr_init(&attr);
```

Declaration of arrays used to store thread IDs and arguments for each threads start routine, the `hello()` function.

Use default attributes when creating new threads.

```
/* Create new threads, each executing the
   hello() function. */
for (int i = 0; i < NUM_OF_THREADS; i++) {
    arg[i] = i;
    pthread_create(&tid[i], &attr, hello, &arg[i]);
}
```

1 2 3 4

- 1) Pass in a pointer to `tid_t`. On success `tid[i]` will hold the thread ID of thread number `i`.
- 2) Pass a pointer to the default attributes.
- 3) The start routine (a function pointer).
- 4) A pointer to the argument for the start routine for thread number `i`.

```
/* Wait for all threads to terminate. */
for (int i = 0; i < NUM_OF_THREADS; i++){
    if (pthread_join(tid[i], NULL) != 0) {
        perror("pthread_join");
        exit(EXIT_FAILURE);
    }
    printf("main() - thread %d terminated\n", i);
}

printf("main() - all new threads terminated\n");
```

Ex_2_pthread2.c

- 1) Wait for thread with thread ID `tid[i]` to terminate.
- 2) Pass `NULL` here means we don't care about the exit status of the terminated thread.

pthread_unsynchronized_concurrency.c

Given a string, write a program using Pthreads to concurrently:

- ★ calculate the length of the string.
- ★ calculate the number of spaces in the string.
- ★ change the string to uppercase.
- ★ change the string to lowercase.

What does it really mean to do all of the above concurrently?



Header files and global data Start routines (1)

```
#include <pthread.h>
#include <stdio.h>
#include <unistd.h> // sleep()

#define NUM_OF_THREADS 4

/* A global string for the threads to work on. */
char STRING[] = "The string shared among the threads.";

/* Global storage for results. */
int LENGTH;
int NUM_OF_SPACES;
```

```
void* length(void *arg) {
    char *ptr = (char*) arg;
    int i = 0;
    while (ptr[i]) i++;
    LENGTH = i;
}

void* num_of_spaces(void *arg) {
    char *ptr = (char*) arg;
    int i = 0;
    int n = 0;

    while (ptr[i]) {
        if (ptr[i] == ' ') n++;
        i++;
    }
    NUM_OF_SPACES = n;
}
```

The implementation details of these functions are not important for the purpose of this exercise.

But, note that to for Pthreads to be able to use these functions as start routines for the threads, they must all be declared **void*** and take a single argument of type **void***.

main() - step 1

```
int main(int argc, char *argv[]) {  
    /* An array of thread identifiers, needed by pthread_join() later... */  
    pthread_t tid[NUM_OF_THREADS];
```

We could simply call `pthread_create()` four times using the four different string functions:

- ★ `length()`
- ★ `num_of_spaces()`
- ★ `to_uppercase()`
- ★ `to_lowercase()`

, for example like this.

```
/* Attributes (stack size, sche  
pthread_attr_t attr;
```

```
/* Get default attributes for the thre . */  
pthread_attr_init(&attr);
```

```
pthread_create(&tid[i], &attr, length, STRING);
```

But, it is more practical (and fun) to collect pointers to all the functions in an array.

main() - step 2

```
int main(int argc, char *argv[]) {  
    /* An array of thread identifiers, needed by pthread_join() later... */  
    pthread_t tid[NUM_OF_THREADS];
```

```
/* An array of pointers to the callback functions. */  
void* (*callback[NUM_OF_THREADS]) (void* arg) =  
    {length,  
    to_uppercase,  
    to_lowercase,  
    num_of_spaces};
```

```
/* Attributes (stack size, scheduling information) for the threads. */  
pthread_attr_t attr;
```

```
/* Get default attributes for the threads. */  
pthread_attr_init(&attr);
```

```
/* Create one thread running each of the callbacks. */  
for (int i = 0; i < NUM_OF_THREADS; i++) {  
    pthread_create(&tid[i], &attr, *callback[i], STRING);  
}
```

```
/* Wait for all threads to terminate. */  
for (int i = 0; i < NUM_OF_THREADS; i++){  
    pthread_join(tid[i], NULL);  
}
```

```
/* Print results. */  
printf("    length(\"%s\") = %d\n", STRING, LENGTH);  
printf("num_of_spaces(\"%s\") = %d\n", STRING, NUM_OF_SPACES);  
}
```


Test runs

```
Terminal — a.out — 74x17
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: gcc -std=c99 pthreads.c
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: ./a.out
    length("tHE STRING SHared among the threads.") = 36
num_of_spaces("tHE STRING SHared among the threads.") = 5
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: ./a.out
    length("THE STRING SHARED AMONG THE THREADS.") = 36
num_of_spaces("THE STRING SHARED AMONG THE THREADS.") = 5
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: ./a.out
    length("THE STRING SHARED among the threads.") = 36
num_of_spaces("THE STRING SHARED among the threads.") = 5
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: ./a.out
    length("THE STRING SHARED AMONG THE THREADS.") = 36
num_of_spaces("THE STRING SHARED AMONG THE THREADS.") = 5
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: ./a.out
    length("tHe string shared am0ng the threads.") = 36
num_of_spaces("tHe string shared am0ng the threads.") = 5
karl ~/Documents/Teaching/OS/2011/lab1/tutorial: █
```

Ex_3_pthread3.c

Because the threads execute and operate on the same data concurrently, the result of **to_uppercase()** and **to_lowercase()** will be unpredictable due to **data races**.




Detached vs. Joinable

Ex_4_pthread4.c

- Each thread can be either **joinable** or **detached**.
- **Joinable:** on thread termination the thread ID and exit status are saved by the OS.
- **Detached:** on termination all thread resources are released by the OS. A detached thread cannot be joined.

Detached vs. Joinable (Contd.)



Howto detach

Ex_5_thread5.c

```
#include <pthread.h>

pthread_t      tid; // thread ID
pthread_attr_t attr; // thread attribute

// set thread detachstate attribute to DETACHED
pthread_attr_init(&attr);
pthread_attr_setdetachstate(&attr, PTHREAD_CREATE_DETACHED);

// create the thread
pthread_create(&tid, &attr, start_routine, arg);
...
```

Shared Global Variables

- Possible problems
 - Global variables
- Avoiding problems
- Synchronization Methods
 - Mutexes
 - Condition variables

Possible problems

- Sharing global variables is dangerous - two threads may attempt to modify the same variable at the same time.
- Just because you don't see a problem when running your code doesn't mean it can't and won't happen!!!!

Avoiding problems

- pthreads includes support for **Mutual Exclusion** primitives that can be used to protect against this problem.
- The general idea is to **lock** something before accessing global variables and to unlock as soon as you are done.
- **Shared socket descriptors** should be treated as **global variables!!!**

Mutexes

Ex_6_thread6.c

- A global variable of type `pthread_mutex_t` is required:
- **`pthread_mutex_t counter_mtx = PTHREAD_MUTEX_INITIALIZER;`**
- Initialization to `PTHREAD_MUTEX_INITIALIZER` is required for a static variable!

Lock & Unlock

- To lock use:
 - **`pthread_mutex_lock(pthread_mutex_t &);`**
- To unlock use:
 - **`pthread_mutex_unlock(pthread_mutex_t &);`**
- Both functions are blocking!

Condition Variables

- **pthread**s support **condition variables**, which allow one thread to wait (sleep) for an event generated by any other thread.
- This allows us to avoid the **busy waiting** problem.
- `pthread_cond_t foo =
PTHREAD_COND_INITIALIZER;`

Condition Variables (cont.)

- A condition variable is always used with mutex.
- **pthread_cond_wait(pthread_cond_t *cptr,
pthread_mutex_t *mptr);**
- **pthread_cond_signal(pthread_cond_t *cptr);** **Ex_7_thread7.c**

*don't let the word signal confuse you -
this has nothing to do with Unix signals*

Summary

- Threads are awesome, but dangerous. You have to pay attention to details or it's easy to end up with code that is incorrect (doesn't always work, or hangs in deadlock).
- Posix threads provides support for mutual exclusion, condition variables and thread-specific data.
- IHOP serves breakfast 24 hours a day!

References

- <https://github.com/uu-os-2019/>
- Getting Started With POSIX Threads by Tom Wagner & Don Towsley Department of Computer Science University of Massachusetts at Amherst July 19, 1995